

Safety Data Sheet

according to Hazardous Products Regulations (HPR; SOR/2015-17)

Trade name : EDM601

Revision date : 08.11.2024

Print date : 08.11.2024

Version (Revision) : 1.0.1

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

EDM601

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Metal working fluids

Lubrication at high energy conditions in metal working operations

Uses advised against

No information available.

1.3 Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/downstream user/distributor)

CNCmarket.ca Inc.

Street : 4115 61 Ave SE #2

Postal code/City : Calgary, AB T2C 1Z6, Canada

Telephone : +1 825 454 66 97

E-mail address : info@CNCmarket.ca

1.4 Emergency telephone number

Chemtrec: **1-800-424-9300** (24h/7d)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to HPR (SOR/2015-17)

Asp. Tox. 1 ; H304 - Aspiration hazard : Category 1 ; May be fatal if swallowed and enters airways.

2.2 Label elements

Labelling according to HPR (SOR/2015-17)

Hazard pictograms



Health hazard (GHS08)

Signal word

Danger

Hazard statements

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/....

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents and container in accordance with all local and national regulations.

2.3 Other hazards

Adverse environmental effects

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Safety Data Sheet

according to Hazardous Products Regulations (HPR; SOR/2015-17)

Trade name :	EDM601		
Revision date :	08.11.2024	Version (Revision) :	1.0.1
Print date :	08.11.2024		

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description

Base Oil and Additives

Hazardous ingredients

Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics ; CAS No. : 869062-45-3

Weight fraction : $\geq 90 - < 100 \%$

Classification: Asp. Tox. 1 ; H304

Additional information

The highly refined mineral oil contains less than 3% (w/w) DMSO-extract, according to IP 346 and is not considered to be carcinogenic.

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. Where appropriate artificial ventilation. In case of respiratory tract irritation, consult a physician.

In case of skin contact

Change contaminated, saturated clothing. After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

After eye contact

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

Following ingestion

Do NOT induce vomiting. Call a physician immediately. Rinse mouth thoroughly with water. Where appropriate artificial ventilation. Observe risk of aspiration if vomiting occurs.

Self-protection of the first aider

No direct artificial respiration to be given by first aider.

4.2 Most important symptoms and effects, both acute and delayed

The following symptoms may occur: Cough, Respiratory complaints, Dyspnoea, Fever, Vomiting Pneumonia Symptoms can occur only after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam, Extinguishing powder, Carbon dioxide (CO₂), Water spray, Water mist,

Unsuitable extinguishing media

Strong water jet

5.2 Special hazards arising from the substance or mixture

Safety Data Sheet

according to Hazardous Products Regulations (HPR; SOR/2015-17)

Trade name :

EDM601

Revision date :

08.11.2024

Version (Revision) :

1.0.1

Print date :

08.11.2024

Hazardous combustion products

In case of fire may be liberated: Carbon dioxide (CO₂), Carbon monoxide, Nitrogen oxides (NO_x), Smoke and other incomplete combustion products.

5.3 Advice for firefighters

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4 Additional information

Do not inhale explosion and combustion gases. Use water spray jet to protect personnel and to cool endangered containers. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protection equipment. Avoid contact with skin, eyes and clothes. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Ventilate affected area. Keep away from sources of ignition - No smoking.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Make sure spills can be contained, e.g. in sump pallets or kerbed areas. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

For containment

Stop and contain spill/release if it can be done safely. If this cannot be done, allow fire to burn under control. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Clear spills immediately. Wipe up with absorbent material (e.g. cloth, fleece). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Take up mechanically, placing in appropriate containers for disposal. Ventilate affected area. Clean contaminated articles and floor according to the environmental legislation.

6.4 Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Wear personal protection equipment (refer to section 8). Use only in well-ventilated areas. Put lids on containers immediately after use. Avoid contact with skin, eyes and clothes. Do not breathe gas/fumes/vapour/spray. Keep away from sources of ignition - No smoking.

Protective measures

Measures to prevent fire

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Take precautionary measures against static discharges.

Environmental precautions

Do not allow to enter into surface water or drains.

Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Safety Data Sheet

according to Hazardous Products Regulations (HPR; SOR/2015-17)

Trade name : EDM601
Revision date : 08.11.2024 Version (Revision) : 1.0.1
Print date : 08.11.2024

Keep container tightly closed in a cool, well-ventilated place. Protect containers against damage. Take precautionary measures against static discharges. Provide earthing of containers, equipment, pumps and ventilation facilities.
Suitable container/equipment material: Steel Refined steel
Unsuitable container/equipment material: NR (natural rubber, natural latex) NBR (Nitrile rubber), Butyl caoutchouc (butyl rubber)

Hints on joint storage

Keep away from: Oxidizing agent

Do not store together with

Food and feedingstuffs

Further information on storage conditions

Recommended storage temperature : 5 - 40°C / 40 - 105°F.

Protect against : Frost Heat. UV-radiation/sunlight Humidity. Water,

Storage stability : Product may be stored for up to 24 months under described conditions.

7.3 Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

Base Oil	Alberta Provincial (Canada). OEL: 10 mg/m ³ 15 minutes. Form: Mist OEL: 5 mg/m ³ 8 hours . Form: Mist Québec Provincial (Canada). STEV: 10 mg/m ³ 15 minutes. Form: mist TWAEV: 5 mg/m ³ 8 hours. Form: mist
----------	---

NOTE: Limits/standards shown for guidance only. Follow applicable regulations

8.2 Exposure controls

Appropriate engineering controls

Use only in well-ventilated areas. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means. Technical measures and the application of suitable work processes have priority over personal protection equipment.

Personal protection equipment

Personal protective equipment selections vary based on potential exposure conditions such as applications, handling practices, concentration and ventilation. Information on the selection of protective equipment for use with this material, as provided below, is based upon intended, normal usage.

Eye/face protection

Eye glasses with side protection EN 166

Skin protection

Hand protection

Tested protective gloves must be worn: DIN EN 374

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Check leak tightness/impermeability prior to use.

Suitable material :

Wearing time with permanent contact:

Material: NBR (Nitrile rubber), CR (polychloroprene, chloroprene rubber), PVA (Polyvinyl alcohol),

Thickness of the glove material: 0,70 mm

Breakthrough time (maximum wearing time): > 480 min

Wearing time with occasional contact (splashes):

Material: NBR (Nitrile rubber), CR (polychloroprene, chloroprene rubber), PVA (Polyvinyl alcohol),

Safety Data Sheet

according to Hazardous Products Regulations (HPR; SOR/2015-17)

Trade name : EDM601
Revision date : 08.11.2024 Version (Revision) : 1.0.1
Print date : 08.11.2024

Thickness of the glove material: 0,40 mm
Breakthrough time (maximum wearing time): > 30 min

Breakthrough time (maximum wearing time): : For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Body protection

Body protection: not required. If prolonged or repeated contact is likely, chemical, and oil resistant clothing is recommended.

Respiratory protection

Usually no personal respirative protection necessary.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Respiratory protection necessary at: exceeding exposure limit values, insufficient ventilation, aerosol or mist formation.

Suitable respiratory protection apparatus

Combination filtering device

General information

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Wash contaminated clothing prior to re-use. Do not put any product-impregnated cleaning rags into your trouser pockets. Apply skin care products after work.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : Liquid

Colour : colourless

Odour : characteristic

Safety characteristics

Melting point/freezing point :		not determined	
Initial boiling point and boiling range :	(1013 hPa)	>	230 °C
Flammability:		flammable	
Lower explosion limit :		0,5 Vol-%	
Upper explosion limit :		5 Vol-%	
Flash point :		102 °C	DIN EN ISO 2592
Auto-ignition temperature :		220 °C	
Decomposition temperature :		not determined	
pH :		No data available	
Cinematic viscosity :	(40 °C)	approx. 2,3 mm ² /s	DIN EN ISO 3104
Water solubility :	(20 °C)	practically insoluble	
log P O/W :		not applicable	
Vapour pressure :	(20 °C)	No data available	
Density :	(15 °C)	0,817 g/cm ³	DIN EN ISO 12185
Relative vapour density :	(20 °C)	No data available	

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

No information available.

10.2 Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3 Possibility of hazardous reactions

Safety Data Sheet

according to Hazardous Products Regulations (HPR; SOR/2015-17)

Trade name : EDM601
Revision date : 08.11.2024 Version (Revision) : 1.0.1
Print date : 08.11.2024

No information available.

10.4 Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

10.5 Incompatible materials

Oxidising agent, strong.

10.6 Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1 Information on hazard classes

The statement is derived from products of similar structure or composition.

Acute toxicity

Based on available data, the classification criteria are not met.

Acute oral toxicity

Parameter :	LD50 (Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics ; CAS No. : 869062-45-3)
Exposure route :	Oral
Species :	Rat
Effective dose :	> 5000 mg/kg

Acute dermal toxicity

Parameter :	LD50 (Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics ; CAS No. : 869062-45-3)
Exposure route :	Dermal
Species :	Rabbit
Effective dose :	> 5000 mg/kg

Acute inhalation toxicity

Parameter :	LC50 (Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics ; CAS No. : 869062-45-3)
Exposure route :	Inhalation
Species :	Rat
Effective dose :	> 5 mg/l

Corrosion

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Parameter :	Skin corrosion/irritation (Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics ; CAS No. : 869062-45-3)
Species :	Rabbit
Result :	Mild effects but not relevant for classification.
Method :	OECD 404

Serious eye damage/eye irritation

Parameter :	Serious eye damage/eye irritation (Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics ; CAS No. : 869062-45-3)
Species :	Rabbit
Result :	Mild effects but not relevant for classification.
Method :	OECD 405

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Parameter :	Skin sensitisation (Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics ; CAS No. : 869062-45-3)
Species :	Guinea pig
Result :	not sensitizing

Safety Data Sheet

according to Hazardous Products Regulations (HPR; SOR/2015-17)

Trade name :

EDM601

Revision date :

08.11.2024

Version (Revision) :

1.0.1

Print date :

08.11.2024

Method : OECD 406

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

STOT SE 1 and 2

Based on available data, the classification criteria are not met.

STOT-repeated exposure

STOT RE 1 and 2

Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways. Based on physico-chemical properties of the material. For viscosity data, see section 9.

11.2 Information on other hazards

Other adverse effects

Repeated exposure may cause skin dryness or cracking.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

Harmless to aquatic organisms.

Acute (short-term) fish toxicity

Parameter : LC0 (Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics ; CAS No. : 869062-45-3)

Species : Oncorhynchus mykiss (Rainbow trout)

Effective dose : > 1000 mg/l

Exposure time : 96 h

Acute (short-term) toxicity to crustacea

Parameter : EC0 (Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics ; CAS No. : 869062-45-3)

Species : Daphnia magna (Big water flea)

Effective dose : > 1000 mg/l

Exposure time : 48 h

Acute (short-term) toxicity to algae and cyanobacteria

Parameter : EC0 (Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics ; CAS No. : 869062-45-3)

Species : Pseudokirchneriella subcapitata

Effective dose : > 1000 mg/l

Exposure time : 72 h

12.2 Persistence and degradability

Abiotic degradation

Mechanical separation in a suitable sewage plant is possible.

Biodegradation

Moderately/partially biodegradable.

12.3 Bioaccumulative potential

Safety Data Sheet

according to Hazardous Products Regulations (HPR; SOR/2015-17)

Trade name :

EDM601

Revision date :

08.11.2024

Version (Revision) :

1.0.1

Print date :

08.11.2024

No indication of bioaccumulation potential.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

Damage can be caused through mechanical influence of the product (eg. sticking).

12.8 Additional ecotoxicological information

Do not allow uncontrolled discharge of product into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Consult the appropriate local waste disposal expert about waste disposal. Dispose of waste according to applicable legislation.

Non-contaminated packages may be recycled. Empty containers may contain residue and can be dangerous. Do not attempt to refill or clean containers without proper instructions. Do not pressurise, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition.

SECTION 14: Transport information

14.1 UN number or ID number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

14.4 Packing group

No dangerous good in sense of these transport regulations.

14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

14.6 Special precautions for user

None

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Canada

NFPA Hazard ID: Health: 2; Flammability: 1; Reactivity: 1

HMIS Hazard ID: Health: 2; Flammability: 1; Reactivity: 1

CEPA: All components of this product are either on the Domestic Substance List (DSL) or are exempt.

This material is considered to be hazardous according to regulatory guidelines.

Safety Data Sheet

according to Hazardous Products Regulations (HPR; SOR/2015-17)

Trade name :	EDM601		
Revision date :	08.11.2024	Version (Revision) :	1.0.1
Print date :	08.11.2024		

This product has been classified in accordance with hazard criteria of the Hazardous Products Regulations (HPR) SOR/2015-17 and the SDS contains all the information required by the HPR SOR/2015-17.

15.2 Chemical Safety Assessment

No information available.

SECTION 16: Other information

16.1 Indication of changes

none

16.2 Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
CAS: Chemical Abstracts Service (division of the American Chemical Society)
GHS: Globally Harmonized System on the Classification and Labelling of Chemicals
CLP: Regulation on Classification, Labelling and Packaging of Substances and Mixtures,
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
EC50: Effective concentration, 50 percent
DNEL: Derived No Effect Level
PNEC: Predicted No Effect Concentration
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative

16.3 Key literature references and sources for data

Sources of information used in preparing this SDS included one or more of the following: Product Dossiers and SDS from suppliers, complemented by public sources, as appropriate (GESTIS, the EU IUCLID Data Base, U.S. NTP publications, e.g.).

16.4 Classification for mixtures and used evaluation method

No information available.

16.5 Relevant H- and EUH-phrases (Number and full text)

H304 May be fatal if swallowed and enters airways.

16.6 Training advice

Provide adequate information, instruction and training for operators.

16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.