Trade name : 19.09.2023 Print date : VEG001 19.09.2023 19.09.2023

Version (Revision) :

1.0.0

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier
 VEG001
 1.2 Relevant identified uses of the substance or mixture and uses advised against
 Relevant identified uses
 Metal working fluids
 Lubrication at high energy conditions in metal working operations

Uses advised against

No information available.

### **1.3 Details of the supplier of the safety data sheet**

Supplier (manufacturer/importer/downstream user/distributor)

2389305 Alberta ltd (<u>www.CNCmarket.ca</u>)

Street: 1144 Legacy cir SE Postal code/City: Calgary, AB, T2X4E5 Telephone: 8257356698 E-mail address: info@CNCmarket.ca

1.4 Emergency telephone number Chemtrec: 1-800-424-9300 (24h/7d)

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture Classification according to HPR (SOR/2015-17)

Eye Irrit. 2 ; H319 - Serious eye damage/eye irritation : Category 2 ; Causes serious eye irritation. Skin Sens. 1 ; H317 - Skin sensitisation : Category 1 ; May cause an allergic skin reaction.

# 2.2 Label elements Labelling according to HPR (SOR/2015-17) Hazard pictograms



Signal word	
Warning	
Hazard statements	
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
Precautionary state	ements
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash hands thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Trade name :	VEG001		
19.09.2023	19.09.2023	Version (Revision) :	1.0.0
Print date :	19.09.2023		

P302+P352	IF ON SKIN: Wash with plenty of water/
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents and container in accordance with all local and national regulations.

# 2.3 Other hazards

#### Adverse environmental effects

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Description	
Mixture of substances listed below with	n nonhazardous additions.
Hazardous ingredients	
2,2'-(METHYLIMINO)DIETHANOL ; CA	AS No. : 105-59-9
Weight fraction :	≥ 5 - < 10 %
Classification:	Eye Irrit. 2 ; H319
2-PHENOXYETHANOL ; CAS No. : 122-	99-6
Weight fraction :	≥ 1 - < 3 %
Classification:	Eye Dam. 1 ; H318 Acute Tox. 4 ; H302 STOT SE 3 ; H335
Alcohols, C16-18 and C18-unsatd., eth	oxylated ; CAS No. : 68920-66-1
Weight fraction :	≥ 1 - < 2,5 %
Classification:	Skin Irrit. 2 ; H315 Aquatic Chronic 2 ; H411
1H-BENZOTRIAZOLE (1,2,3) ; CAS No.	. : 95-14-7
Weight fraction :	≥ 1 - < 2,5 %
Classification:	Acute Tox. 4 ; H302 Eye Irrit. 2 ; H319 Aquatic Chronic 2 ; H411
1,2-BENZISOTHIAZOL-3(2H)-ONE ; CA	AS No. : 2634-33-5
Weight fraction :	≥ 0,25 - < 0,5 %
Classification:	Eye Dam. 1 ; H318 Acute Tox. 4 ; H302 Skin Irrit. 2 ; H315 Skin Sens. 1 ; H317 Aquatic Acute 1 ; H400
2-n-butyl-benzo[d]isothiazol-3-one ; C	AS No. : 4299-07-4
Weight fraction :	≥ 0,1 - < 0,25 %
Classification:	Skin Corr. 1B ; H314 Eye Dam. 1 ; H318 Skin Sens. 1 ; H317 Aquatic Acute 1 ; H400 Aquatic Chronic 1 ; H410
Further ingredients	
TRIFTHANOLAMIN · CAS No. · 102-71	-6

TRIETHANOLAMIN ; CAS No. : 102-71-6

Weight fraction :

#### Additional information

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

1 - 5 %

#### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

#### **General information**

Remove victim out of the danger area. When in doubt or if symptoms are observed, get medical advice.

#### Following inhalation

Remove casualty to fresh air and keep warm and at rest.

# In case of skin contact

Change contaminated, saturated clothing. After contact with skin, wash with plenty of water and soap. In case of skin irritation, consult a physician.

Trade name :	VEG001		
19.09.2023	19.09.2023	Version (Revision) :	1.0.0
Print date :	19.09.2023		

#### After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### Following ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

#### **4.2 Most important symptoms and effects, both acute and delayed** No information available.

**4.3 Indication of any immediate medical attention and special treatment needed** First Aid, decontamination, treatment of symptoms.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Foam, Extinguishing powder, Carbon dioxide (CO2), Water spray jet, Water mist, Sand,

#### Unsuitable extinguishing media

Strong water jet

# 5.2 Special hazards arising from the substance or mixture

# Hazardous combustion products

In case of fire may be liberated: Carbon dioxide (CO2), Carbon monoxide, Nitrogen oxides (NOx), Smoke and other incomplete combustion products.

#### 5.3 Advice for firefighters

#### Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

#### 5.4 Additional information

Do not inhale explosion and combustion gases.

# **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protection equipment. Avoid contact with skin, eyes and clothes. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Ventilate affected area.

#### 6.2 Environmental precautions

Cover drains. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Make sure spills can be contained, e.g. in sump pallets or kerbed areas.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

# 6.3 Methods and material for containment and cleaning up

#### For containment

Cover drains. Stop and contain spill/release if it can be done safely. If this cannot be done, allow fire to burn under control. Prevent spread over a wide area (e.g. by containment or oil barriers).

#### For cleaning up

Wipe up with absorbent material (eg. cloth, fleece). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Take up mechanically, placing in appropriate containers for disposal. Clean contaminated articles and floor according to the environmental legislation.

#### 6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

Trade name : 19.09.2023 Print date : VEG001 19.09.2023 19.09.2023

Version (Revision) :

1.0.0

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Wear personal protection equipment (refer to section 8). Use only in well-ventilated areas. Handle and open container with care. Avoid contact with skin, eyes and clothes. Do not breathe gas/fumes/vapour/spray.

#### Protective measures

#### Measures to prevent fire

Usual measures for fire prevention.

#### **Environmental precautions**

Do not allow to enter into surface water or drains.

#### Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Do not put any productimpregnated cleaning rags into your trouser pockets.

# 7.2 Conditions for safe storage, including any incompatibilities

#### **Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product. Protect containers against damage.

#### Hints on joint storage

Keep away from: Oxidizing agent

**Do not store together with** Food and feedingstuffs

# Further information on storage conditions

Recommended storage temperature : 5 - 40°C / 40 - 105°F. Protect against : Frost Heat. UV-radiation/sunlight

**Storage stability :** Product may be stored for up to 12 months under described conditions.

### 7.3 Specific end use(s)

None

### SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

### Occupational exposure limit values

2-PHENOXYETHANOL ; CAS No. : 122-99-6	Ontario Provincial (Canada). TWA: 25 ppm 8 hours TWA: 141 mg/m <sup>3</sup> 8 hours
Triethanolamine; CAS No. : 102-71-6	Alberta Provincial (Canada). OEL: 5 mg/m <sup>3</sup> 8 hours
	British Columbia Provincial (Canada). TWA: 5 mg/m <sup>3</sup> 8 hours
	<b>Ontario Provincial</b> (Canada). <b>TWA:</b> 3.1 mg/m <sup>3</sup> 8 hours <b>TWA:</b> 0.5 ppm 8 hours
	Québec Provincial (Canada). TWAEV: 5 mg/m <sup>3</sup> 8 hours
	Saskatchewan Provincial (Canada). STEL: 10 mg/m <sup>3</sup> 15 minutes TWA: 5 mg/m <sup>3</sup> 8 hours

NOTE: Limits/standards shown for guidance only. Follow applicable regulations

### 8.2 Exposure controls

Trade name :	VEG001		
19.09.2023	19.09.2023	Version (Revision) :	1.0.0
Print date :	19.09.2023		

#### Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means. Technical measures and the application of suitable work processes have priority over personal protection equipment.

#### Personal protection equipment

Personal protective equipment selections vary based on potential exposure conditions such as applications, handling practices, concentration and ventilation. Information on the selection of protective equipment for use with this material, as provided below, is based upon intended, normal usage.

#### Eye/face protection

Eye glasses with side protection EN 166

#### Skin protection

#### Hand protection

Tested protective gloves must be worn: DIN EN 374

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Do not wear gloves near rotary machines and tools. Suitable material :

# Wearing time with permanent contact:

Material: NBR (Nitrile rubber), CR (polychloroprene, chloroprene rubber),

Thickness of the glove material: 0,70 mm

Breakthrough time (maximum wearing time): > 480 min

Wearing time with occasional contact (splashes):

NBR (Nitrile rubber), CR (polychloroprene, chloroprene rubber), Thickness of the glove material: 0,40 mm

Breakthrough time (maximum wearing time): > 30 min

Unsuitable material : PVA (Polyvinyl alcohol),

Breakthrough time (maximum wearing time): : For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Body protection

Body protection: not required. If prolonged or repeated contact is likely, chemical, and oil resistant clothing is recommended.

#### **Respiratory protection**

Usually no personal respirative protection necessary. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Respiratory protection necessary at: exceeding exposure limit values, insufficient ventilation, aerosol or mist formation.

#### Suitable respiratory protection apparatus

Combination filtering device

#### General information

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Wash contaminated clothing prior to re-use. Apply skin care products after work.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state : Liquid

**Colour:** brown

Odour: characteristic

# Safety characteristics

Melting point/freezing point :			No data available	
Initial boiling point and boiling range :	(1013 hPa)	>	100	°C
Flammability:			flammable	
Lower explosion limit :			No data available	

Page : 5 / 10

( EN / CDN )

(15 °C)

(20 °C)

Trade name : 19.09.2023 Print date :	VEG001 19.09.2023 19.09.2023			Version (Re	vision) :	1.0.0
Upper explos	ion limit :			No data available		
Flash point :			>	100	°C	DIN EN ISO 2592
-	temperature :			No data available		
Decompositio	on temperature :			not determined		
pH :		( 20 °C / 5 Weight-% )		9,3		DIN 51369
Cinematic vis	cosity :	( 20 °C )		177	mm²/s	DIN EN ISO 3104
Water solubil	ity :	( 20 °C )		miscible		
log P O/W :				not applicable		
Vapour press	ure :	( 20 °C )		No data available		

#### Relative vapour density : 9.2 **Other information**

Density :

None

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No information available.

#### 10.2 Chemical stability

The product is stable under storage at normal ambient temperatures.

# **10.3** Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

# 10.4 Conditions to avoid

# No information available.

**10.5 Incompatible materials** Oxidising agent, strong.

# **10.6 Hazardous decomposition products**

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes

Toxicological data are not available. The statement is derived from the properties of the single components.

#### Acute toxicity

Based on available data, the classification criteria are not met.

Acute oral toxicity	
Parameter :	LD50(2,2 <sup>′</sup> -(METHYLIMINO)DIETHANOL;CAS No.:105-59-9)
Exposure route :	Oral
Species :	Rat
Effective dose :	4680 mg/kg
Parameter :	LD50 ( 2-PHENOXYETHANOL ; CAS No. : 122-99-6 )
Exposure route :	Oral
Species :	Rat
Effective dose :	1850 mg/kg
Parameter :	LD50 (Alcohols, C16-18 and C18-unsatd., ethoxylated ; CAS No. : 68920-66-1 )
Exposure route :	Oral
Species :	Rat
Effective dose :	> 2000 mg/kg
Acute dermal toxicity	
Parameter :	LD50(2,2 <sup>´</sup> -(METHYLIMINO)DIETHANOL;CAS No.:105-59-9)
Exposure route :	Dermal
Species :	Rabbit

Page : 6 / 10

( EN / CDN )

DIN EN ISO 12185

1,015 g/cm<sup>3</sup>

No data available

Г <b>гаde name :</b> 19.09.2023	VEG001 19.09.2023	Version (Revision) : 1
Print date :	19.09.2023	version (revision) .
Effective dose :		> 2000 mg/kg
Parameter :		LD50 ( 2-PHENOXYETHANOL ; CAS No. : 122-99-6 )
Exposure route :		Dermal
Species :		Rabbit
Effective dose :		> 2000 mg/kg
Corrosion		
Skin corrosion/ir	ritation	
Parameter :		Skin corrosion/irritation ( Alcohols, C16-18 and C18-unsatd., ethoxylated ; CAS No 68920-66-1 )
Species :		Rabbit
Result :		irritating
Method :		OECD 404
Based on available	data, the class	ification criteria are not met.
Serious eye dama		
Parameter :	.ge, e, e	Serious eye damage/eye irritation ( 2-PHENOXYETHANOL ; CAS No. : 122-99-6 )
Species :		Rabbit
Result :		Strongly irritant
Method :		OECD 405
Parameter :		Serious eye damage/eye irritation ( Alcohols, C16-18 and C18-unsatd., ethoxylate CAS No. : 68920-66-1 )
Species :		Rabbit
Result :		Mild effects but not relevant for classification.
Method :		OECD 405
Irritating to eyes.		
Respiratory or	ckin concit	isation
May cause sensitiza		
Skin sensitisation	•	
Parameter :		Skin consistention ( 2 DHENOXYETHANOL + CAS No. + 122 00 6 )
		Skin sensitisation ( 2-PHENOXYETHANOL ; CAS No. : 122-99-6 )
Species :		Guinea pig
Result : Method :		not sensitizing OECD 406
Parameter :		Skin sensitisation ( Alcohols, C16-18 and C18-unsatd., ethoxylated ; CAS No. : 689
Species :		66-1)
Result :		Guinea pig not sensitizing
Method :		OECD 406
Carcinogenicity		city, mutagenicity and toxicity for reproduction)
Based on available Germ cell mutage		ification criteria are not met.
Based on available Reproductive tox		ification criteria are not met.
Based on available	e data, the class	ification criteria are not met.
STOT-single ex STOT SE 1 and 2	posure	
Based on available	e data, the class	sification criteria are not met.
STOT-repeated	l exposure	
STOT RE 1 and 2	-	ification criteria are not met.
Aspiration haza		fication criteria are not mot. For viscosity data, see section 0
1.2 Information on	other haza	fication criteria are not met. For viscosity data, see section 9. I <b>rds</b>
No information availa	iule.	
		Page : 7 / 10
		( EN /

Trade name : 19.09.2023 Print date : VEG001 19.09.2023 19.09.2023

Version (Revision) :

1.0.0

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

12.2

12.3

12.4

12.5

For the product ecotoxicological data are not available. The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see section 3).

Acute (short-term) fish toxicity	
Parameter :	LC50 ( 2,2 '-(METHYLIMINO)DIETHANOL ; CAS No. : 105-59-9 )
Effective dose :	1466 mg/l
Exposure time :	96 h
Parameter :	LC50 ( 2-PHENOXYETHANOL ; CAS No. : 122-99-6 )
Species :	Pimephales promelas (fathead minnow)
Effective dose :	344 mg/l
Exposure time :	96 h
Parameter :	LC50 ( Alcohols, C16-18 and C18-unsatd., ethoxylated ; CAS No. : 68920-66-1
Species :	Danio rerio (zebrafish)
Effective dose :	10 - 100 mg/l
Exposure time :	96 h
Method :	OECD 203
Acute (short-term) toxicity to c	rustacea
Parameter :	EC50 ( 2,2'-(METHYLIMINO)DIETHANOL ; CAS No. : 105-59-9 )
Effective dose :	233 mg/l
Exposure time :	48 h
Parameter :	EC50(2-PHENOXYETHANOL;CAS No.: 122-99-6)
Species :	Daphnia magna (Big water flea)
Effective dose :	> 500 mg/l
Exposure time :	48 h
Parameter :	EC50 (Alcohols, C16-18 and C18-unsatd., ethoxylated ; CAS No. : 68920-66-1
Species :	Daphnia magna (Big water flea)
Effective dose :	51 mg/l
Exposure time :	48 h
Method :	OECD 202
Acute (short-term) toxicity to a	lgae and cyanobacteria
Parameter :	EC50 ( 2,2'-(METHYLIMINO)DIETHANOL ; CAS No. : 105-59-9 )
Effective dose :	> 100 mg/l
Exposure time :	72 h
Parameter :	EC50 ( 2-PHENOXYETHANOL ; CAS No. : 122-99-6 )
Species :	Desmodesmus subspicatus
Effective dose :	> 500 mg/l
Exposure time :	72 h
Parameter :	EC50 (Alcohols, C16-18 and C18-unsatd., ethoxylated ; CAS No. : 68920-66-1
Species :	Scenedesmus subspicatus
Effective dose :	> 100 mg/l
Exposure time :	72 h
ersistence and degradabil	itv
art of the components is biodegrada	•
	bie.
oaccumulative potential	
o indication of bioaccumulation pote	ential.
obility in soil	
o information available.	

Page : 8 / 10

 Trade name:
 VEG001

 19.09.2023
 19.09.2023
 Version (Revision):
 1.0.0

 Print date:
 19.09.2023
 19.09.2023
 1.0.0

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

No information available.

# 12.8 Additional ecotoxicological information

Do not allow uncontrolled discharge of product into the environment.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Consult the appropriate local waste disposal expert about waste disposal. Dispose of waste according to applicable legislation.

Non-contaminated packages may be recycled. Packing which cannot be properly cleaned must be disposed of. Dispose of waste according to applicable legislation.

### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

No dangerous good in sense of these transport regulations.

### 14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

# 14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

# 14.4 Packing group No dangerous good in sense of these transport regulations.

14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

# 14.6 Special precautions for user

None

### **SECTION 15: Regulatory information**

# <sup>15.1</sup> Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Canada

**NFPA Hazard ID:** Health: 2; Flammability: 1; Reactivity: 1 **HMIS Hazard ID:** Health: 2; Flammability: 1; Reactivity: 1

CEPA: All components of this product are either on the Domestic Substance List (DSL) or are exempt.

This material is considered to be hazardous according to regulatory guidelines.

This product has been classified in accordance with hazard criteria of the Hazardous Products Regulations (HPR) SOR/2015-17 and the SDS contains all the information required by the HPR SOR/2015-17.

### 15.2 Chemical Safety Assessment

No information available.

# **SECTION 16: Other information**

Trade name :	VEG001		
19.09.2023	19.09.2023	Version (Revision) :	1.0.0
Print date :	19.09.2023		

#### 16.1 Indication of changes

None

### 16.2 Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) CAS: Chemical Abstracts Service (division of the American Chemical Society) GHS: Globally Harmonized System on the Classification and Labelling of Chemicals CLP: Regulation on Classification, Labelling and Packaging of Substances and Mixtures,

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

EC50: Effective concentration, 50 percent

- DNEL: Derived No Effect Level
- PNEC: Predicted No Effect Concentration

PNEC: Predicted No Effect Concentration

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

# 16.3 Key literature references and sources for data

Sources of information used in preparing this SDS included one or more of the following: Product Dossiers and SDS from suppliers, complemented by public sources, as appropriate (GESTIS, the EU IUCLID Data Base, U.S. NTP publications, e.g.).

# **16.4 Classification for mixtures and used evaluation method**

No information available.

# 16.5 Relevant H- and EUH-phrases (Number and full text)

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

#### 16.6 Training advice

Provide adequate information, instruction and training for operators.

### 16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.