

Safety Data Sheet

according to Hazardous Products Regulations (HPR; SOR/2015-17)

Trade name : VEG001
19.09.2023 08.11.2024
Print date : 08.11.2024

Version (Revision) : 1.0.1

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

VEG001

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Metal working fluids
Lubrication at high energy conditions in metal working operations

Uses advised against

No information available.

1.3 Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/downstream user/distributor)

CNCmarket.ca Inc.

Street : 2360 Portland Street SE

Postal code/City : Calgary, AB, T2G5S2

Telephone : +1 825 454 66 97

E-mail address : info@CNCmarket.ca

1.4 Emergency telephone number

Chemtrec: **1-800-424-9300** (24h/7d)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to HPR (SOR/2015-17)

Eye Irrit. 2 ; H319 - Serious eye damage/eye irritation : Category 2 ; Causes serious eye irritation.
Skin Sens. 1 ; H317 - Skin sensitisation : Category 1 ; May cause an allergic skin reaction.

2.2 Label elements

Labelling according to HPR (SOR/2015-17)

Hazard pictograms



Exclamation mark (GHS07)

Signal word

Warning

Hazard statements

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Safety Data Sheet

according to Hazardous Products Regulations (HPR; SOR/2015-17)

Trade name : VEG001
19.09.2023 08.11.2024
Print date : 08.11.2024

Version (Revision) : 1.0.1

P302+P352 IF ON SKIN: Wash with plenty of water/...
P362+P364 Take off contaminated clothing and wash it before reuse.
P501 Dispose of contents and container in accordance with all local and national regulations.

2.3 Other hazards

Adverse environmental effects

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description

Mixture of substances listed below with nonhazardous additions.

Hazardous ingredients

2,2'-(METHYLIMINO)DIETHANOL ; CAS No. : 105-59-9

Weight fraction : $\geq 5 - < 10$ %

Classification: Eye Irrit. 2 ; H319

2-PHENOXYETHANOL ; CAS No. : 122-99-6

Weight fraction : $\geq 1 - < 3$ %

Classification: Eye Dam. 1 ; H318 Acute Tox. 4 ; H302 STOT SE 3 ; H335

Alcohols, C16-18 and C18-unsatd., ethoxylated ; CAS No. : 68920-66-1

Weight fraction : $\geq 1 - < 2,5$ %

Classification: Skin Irrit. 2 ; H315 Aquatic Chronic 2 ; H411

1H-BENZOTRIAZOLE (1,2,3) ; CAS No. : 95-14-7

Weight fraction : $\geq 1 - < 2,5$ %

Classification: Acute Tox. 4 ; H302 Eye Irrit. 2 ; H319 Aquatic Chronic 2 ; H411

1,2-BENZISOTHIAZOL-3(2H)-ONE ; CAS No. : 2634-33-5

Weight fraction : $\geq 0,25 - < 0,5$ %

Classification: Eye Dam. 1 ; H318 Acute Tox. 4 ; H302 Skin Irrit. 2 ; H315 Skin Sens. 1 ; H317 Aquatic Acute 1 ; H400

2-n-butyl-benzo[d]isothiazol-3-one ; CAS No. : 4299-07-4

Weight fraction : $\geq 0,1 - < 0,25$ %

Classification: Skin Corr. 1B ; H314 Eye Dam. 1 ; H318 Skin Sens. 1 ; H317 Aquatic Acute 1 ; H400 Aquatic Chronic 1 ; H410

Further ingredients

TRIETHANOLAMIN ; CAS No. : 102-71-6

Weight fraction : 1 - 5 %

Additional information

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove victim out of the danger area. When in doubt or if symptoms are observed, get medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest.

In case of skin contact

Change contaminated, saturated clothing. After contact with skin, wash with plenty of water and soap. In case of skin irritation, consult a physician.

Safety Data Sheet

according to Hazardous Products Regulations (HPR; SOR/2015-17)

Trade name : VEG001
19.09.2023 08.11.2024
Print date : 08.11.2024

Version (Revision) : 1.0.1

After eye contact

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Following ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam, Extinguishing powder, Carbon dioxide (CO₂), Water spray jet, Water mist, Sand,

Unsuitable extinguishing media

Strong water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

In case of fire may be liberated: Carbon dioxide (CO₂), Carbon monoxide, Nitrogen oxides (NO_x), Smoke and other incomplete combustion products.

5.3 Advice for firefighters

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4 Additional information

Do not inhale explosion and combustion gases.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protection equipment. Avoid contact with skin, eyes and clothes. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Ventilate affected area.

6.2 Environmental precautions

Cover drains. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Make sure spills can be contained, e.g. in sump pallets or kerbed areas.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

For containment

Cover drains. Stop and contain spill/release if it can be done safely. If this cannot be done, allow fire to burn under control. Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Wipe up with absorbent material (eg. cloth, fleece). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Take up mechanically, placing in appropriate containers for disposal. Clean contaminated articles and floor according to the environmental legislation.

6.4 Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

Safety Data Sheet

according to Hazardous Products Regulations (HPR; SOR/2015-17)

Trade name : VEG001
19.09.2023 08.11.2024
Print date : 08.11.2024

Version (Revision) : 1.0.1

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Wear personal protection equipment (refer to section 8). Use only in well-ventilated areas. Handle and open container with care. Avoid contact with skin, eyes and clothes. Do not breathe gas/fumes/vapour/spray.

Protective measures

Measures to prevent fire

Usual measures for fire prevention.

Environmental precautions

Do not allow to enter into surface water or drains.

Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Do not put any product-impregnated cleaning rags into your trouser pockets.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product. Protect containers against damage.

Hints on joint storage

Keep away from: Oxidizing agent

Do not store together with

Food and feedingstuffs

Further information on storage conditions

Recommended storage temperature : 5 - 40°C / 40 - 105°F.

Protect against : Frost Heat. UV-radiation/sunlight

Storage stability : Product may be stored for up to 12 months under described conditions.

7.3 Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

2-PHENOXYETHANOL ; CAS No. : 122-99-6	Ontario Provincial (Canada). TWA: 25 ppm 8 hours TWA: 141 mg/m ³ 8 hours
Triethanolamine; CAS No. : 102-71-6	Alberta Provincial (Canada). OEL: 5 mg/m ³ 8 hours British Columbia Provincial (Canada). TWA: 5 mg/m ³ 8 hours Ontario Provincial (Canada). TWA: 3.1 mg/m ³ 8 hours TWA: 0.5 ppm 8 hours Québec Provincial (Canada). TWAEV: 5 mg/m ³ 8 hours Saskatchewan Provincial (Canada). STEL: 10 mg/m ³ 15 minutes TWA: 5 mg/m ³ 8 hours

NOTE: Limits/standards shown for guidance only. Follow applicable regulations

8.2 Exposure controls

Safety Data Sheet

according to Hazardous Products Regulations (HPR; SOR/2015-17)

Trade name : VEG001
19.09.2023 08.11.2024
Print date : 08.11.2024

Version (Revision) : 1.0.1

Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means. Technical measures and the application of suitable work processes have priority over personal protection equipment.

Personal protection equipment

Personal protective equipment selections vary based on potential exposure conditions such as applications, handling practices, concentration and ventilation. Information on the selection of protective equipment for use with this material, as provided below, is based upon intended, normal usage.

Eye/face protection

Eye glasses with side protection EN 166

Skin protection

Hand protection

Tested protective gloves must be worn: DIN EN 374

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Do not wear gloves near rotary machines and tools.

Suitable material :

Wearing time with permanent contact:

Material: NBR (Nitrile rubber), CR (polychloroprene, chloroprene rubber),

Thickness of the glove material: 0,70 mm

Breakthrough time (maximum wearing time): > 480 min

Wearing time with occasional contact (splashes):

NBR (Nitrile rubber), CR (polychloroprene, chloroprene rubber),

Thickness of the glove material: 0,40 mm

Breakthrough time (maximum wearing time): > 30 min

Unsuitable material : PVA (Polyvinyl alcohol),

Breakthrough time (maximum wearing time): : For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Body protection

Body protection: not required. If prolonged or repeated contact is likely, chemical, and oil resistant clothing is recommended.

Respiratory protection

Usually no personal respirative protection necessary. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Respiratory protection necessary at: exceeding exposure limit values, insufficient ventilation, aerosol or mist formation.

Suitable respiratory protection apparatus

Combination filtering device

General information

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Wash contaminated clothing prior to re-use. Apply skin care products after work.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : Liquid

Colour : brown

Odour : characteristic

Safety characteristics

Melting point/freezing point : No data available

Initial boiling point and boiling range : (1013 hPa) > 100 °C

Flammability: flammable

Lower explosion limit : No data available

Safety Data Sheet

according to Hazardous Products Regulations (HPR; SOR/2015-17)

Trade name : VEG001
19.09.2023 08.11.2024
Print date : 08.11.2024

Version (Revision) : 1.0.1

Upper explosion limit :		No data available	
Flash point :	>	100 °C	DIN EN ISO 2592
Auto-ignition temperature :		No data available	
Decomposition temperature :		not determined	
pH :	(20 °C / 5 Weight-%)	9,3	DIN 51369
Cinematic viscosity :	(20 °C)	177 mm ² /s	DIN EN ISO 3104
Water solubility :	(20 °C)	miscible	
log P O/W :		not applicable	
Vapour pressure :	(20 °C)	No data available	
Density :	(15 °C)	1,015 g/cm ³	DIN EN ISO 12185
Relative vapour density :	(20 °C)	No data available	

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

No information available.

10.2 Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4 Conditions to avoid

No information available.

10.5 Incompatible materials

Oxidising agent, strong.

10.6 Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1 Information on hazard classes

Toxicological data are not available. The statement is derived from the properties of the single components.

Acute toxicity

Based on available data, the classification criteria are not met.

Acute oral toxicity

Parameter :	LD50 (2,2'-(METHYLIMINO)DIETHANOL ; CAS No. : 105-59-9)
Exposure route :	Oral
Species :	Rat
Effective dose :	4680 mg/kg
Parameter :	LD50 (2-PHENOXYETHANOL ; CAS No. : 122-99-6)
Exposure route :	Oral
Species :	Rat
Effective dose :	1850 mg/kg
Parameter :	LD50 (Alcohols, C16-18 and C18-unsatd., ethoxylated ; CAS No. : 68920-66-1)
Exposure route :	Oral
Species :	Rat
Effective dose :	> 2000 mg/kg

Acute dermal toxicity

Parameter :	LD50 (2,2'-(METHYLIMINO)DIETHANOL ; CAS No. : 105-59-9)
Exposure route :	Dermal
Species :	Rabbit

Safety Data Sheet

according to Hazardous Products Regulations (HPR; SOR/2015-17)

Trade name : VEG001
19.09.2023 08.11.2024
Print date : 08.11.2024

Version (Revision) : 1.0.1

Effective dose : > 2000 mg/kg
Parameter : LD50 (2-PHENOXYETHANOL ; CAS No. : 122-99-6)
Exposure route : Dermal
Species : Rabbit
Effective dose : > 2000 mg/kg

Corrosion

Skin corrosion/irritation

Parameter : Skin corrosion/irritation (Alcohols, C16-18 and C18-unsatd., ethoxylated ; CAS No. : 68920-66-1)
Species : Rabbit
Result : irritating
Method : OECD 404

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Parameter : Serious eye damage/eye irritation (2-PHENOXYETHANOL ; CAS No. : 122-99-6)
Species : Rabbit
Result : Strongly irritant
Method : OECD 405

Parameter : Serious eye damage/eye irritation (Alcohols, C16-18 and C18-unsatd., ethoxylated ; CAS No. : 68920-66-1)

Species : Rabbit
Result : Mild effects but not relevant for classification.
Method : OECD 405

Irritating to eyes.

Respiratory or skin sensitisation

May cause sensitization by skin contact.

Skin sensitisation

Parameter : Skin sensitisation (2-PHENOXYETHANOL ; CAS No. : 122-99-6)
Species : Guinea pig
Result : not sensitizing
Method : OECD 406

Parameter : Skin sensitisation (Alcohols, C16-18 and C18-unsatd., ethoxylated ; CAS No. : 68920-66-1)

Species : Guinea pig
Result : not sensitizing
Method : OECD 406

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

STOT SE 1 and 2

Based on available data, the classification criteria are not met.

STOT-repeated exposure

STOT RE 1 and 2

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met. For viscosity data, see section 9.

11.2 Information on other hazards

No information available.

Safety Data Sheet

according to Hazardous Products Regulations (HPR; SOR/2015-17)

Trade name : VEG001
19.09.2023 08.11.2024
Print date : 08.11.2024

Version (Revision) : 1.0.1

SECTION 12: Ecological information

12.1 Toxicity

For the product ecotoxicological data are not available. The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see section 3).

Aquatic toxicity

Harmful to aquatic life.

Acute (short-term) fish toxicity

Parameter : LC50 (2,2'-(METHYLIMINO)DIETHANOL ; CAS No. : 105-59-9)
Effective dose : 1466 mg/l
Exposure time : 96 h
Parameter : LC50 (2-PHENOXYETHANOL ; CAS No. : 122-99-6)
Species : Pimephales promelas (fathead minnow)
Effective dose : 344 mg/l
Exposure time : 96 h
Parameter : LC50 (Alcohols, C16-18 and C18-unsatd., ethoxylated ; CAS No. : 68920-66-1)
Species : Danio rerio (zebrafish)
Effective dose : 10 - 100 mg/l
Exposure time : 96 h
Method : OECD 203

Acute (short-term) toxicity to crustacea

Parameter : EC50 (2,2'-(METHYLIMINO)DIETHANOL ; CAS No. : 105-59-9)
Effective dose : 233 mg/l
Exposure time : 48 h
Parameter : EC50 (2-PHENOXYETHANOL ; CAS No. : 122-99-6)
Species : Daphnia magna (Big water flea)
Effective dose : > 500 mg/l
Exposure time : 48 h
Parameter : EC50 (Alcohols, C16-18 and C18-unsatd., ethoxylated ; CAS No. : 68920-66-1)
Species : Daphnia magna (Big water flea)
Effective dose : 51 mg/l
Exposure time : 48 h
Method : OECD 202

Acute (short-term) toxicity to algae and cyanobacteria

Parameter : EC50 (2,2'-(METHYLIMINO)DIETHANOL ; CAS No. : 105-59-9)
Effective dose : > 100 mg/l
Exposure time : 72 h
Parameter : EC50 (2-PHENOXYETHANOL ; CAS No. : 122-99-6)
Species : Desmodesmus subspicatus
Effective dose : > 500 mg/l
Exposure time : 72 h
Parameter : EC50 (Alcohols, C16-18 and C18-unsatd., ethoxylated ; CAS No. : 68920-66-1)
Species : Scenedesmus subspicatus
Effective dose : > 100 mg/l
Exposure time : 72 h

12.2 Persistence and degradability

Part of the components is biodegradable.

12.3 Bioaccumulative potential

No indication of bioaccumulation potential.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Safety Data Sheet

according to Hazardous Products Regulations (HPR; SOR/2015-17)

Trade name : VEG001
19.09.2023 08.11.2024
Print date : 08.11.2024

Version (Revision) : 1.0.1

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

No information available.

12.8 Additional ecotoxicological information

Do not allow uncontrolled discharge of product into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Consult the appropriate local waste disposal expert about waste disposal. Dispose of waste according to applicable legislation.

Non-contaminated packages may be recycled. Packing which cannot be properly cleaned must be disposed of. Dispose of waste according to applicable legislation.

SECTION 14: Transport information

14.1 UN number or ID number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

14.4 Packing group

No dangerous good in sense of these transport regulations.

14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

14.6 Special precautions for user

None

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Canada

NFPA Hazard ID: Health: 2; Flammability: 1; Reactivity: 1

HMIS Hazard ID: Health: 2; Flammability: 1; Reactivity: 1

CEPA: All components of this product are either on the Domestic Substance List (DSL) or are exempt.

This material is considered to be hazardous according to regulatory guidelines.

This product has been classified in accordance with hazard criteria of the Hazardous Products Regulations (HPR) SOR/2015-17 and the SDS contains all the information required by the HPR SOR/2015-17.

15.2 Chemical Safety Assessment

No information available.

SECTION 16: Other information

Safety Data Sheet

according to Hazardous Products Regulations (HPR; SOR/2015-17)

Trade name : VEG001
19.09.2023 08.11.2024
Print date : 08.11.2024

Version (Revision) : 1.0.1

16.1 Indication of changes

None

16.2 Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
CAS: Chemical Abstracts Service (division of the American Chemical Society)
GHS: Globally Harmonized System on the Classification and Labelling of Chemicals
CLP: Regulation on Classification, Labelling and Packaging of Substances and Mixtures,
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
EC50: Effective concentration, 50 percent
DNEL: Derived No Effect Level
PNEC: Predicted No Effect Concentration
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative

16.3 Key literature references and sources for data

Sources of information used in preparing this SDS included one or more of the following: Product Dossiers and SDS from suppliers, complemented by public sources, as appropriate (GESTIS, the EU IUCLID Data Base, U.S. NTP publications, e.g.).

16.4 Classification for mixtures and used evaluation method

No information available.

16.5 Relevant H- and EUH-phrases (Number and full text)

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

16.6 Training advice

Provide adequate information, instruction and training for operators.

16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.